EAST SEARCH (FAOM) 07/0/8/2003 Prepared in Support of Paper No. 9

09/884,255

EAST 1.04

SEARCH HISTORY (I) ATTACHED

SEARCH RESULTS (II) ATTACHED

- (1) FRO+KWIC REVIEWED BY EXAMINER
- (2) ALL SECTIONS REVIEWED BY EXAMINER
- (C) CITED ON PTO-892 BY EXAMINER
- (3) CITED ON PTO-1449 BY APPLICANT

(I	1
	ı

P OR 5	,
	Q
	1 /
	4
6	4
- 1	132
ı	60
5	-X
- 1	\sim
	•
	A 1
4	\sim
1	
	255
3	יע
	I A
	1/1
	•
. 1	
' 1	
6	
	- /
	(1/2)
25	
	l
25	
	l
	1
	l
25	
	1
	1
	I

	14	2	1	Τ.	ī	-	Document ID	Title	Current OR
	ť	ť	۲	ľ	1	ıc	20030095338 41	System and method for panoramic imaging	359/725
	F	K	1	ŀ	‡		20030073330 A1	Method and apparatus for omnidirectional three dimensional imaging	396/427
	늘	Ľ	7	4	1		20030081932 A1	Method and apparatus for an omni-directional video surveillance system	348/39
	L	-	12	_	#		200300/1691 A1	System and method for panoramic imaging	382/276
	×	T	1		T				359/725
	<u> </u>	D		8]	JS	20020141636 A1	Imaging systems, program used for controlling image data in same system, method for correcting distortion of captured image in same system, and recording medium staring procedures for same method	382/154
	╆	+	+	4	7	15	20010046080 A	Omnidirectional visual angle system and retainer for the system	359/293
	╞						20010015751 A1		348/36
	ŧ			ж.		******		Method and apparatus for omnidirectional imaging	348/36
)	-	T	1	7	7		6304285 B1 5920376 A	Method and system for panoramic viewing with curved surface mirrors	352/69
	-[1.	_[`	1	ļ.			Panoramic surveillance system	348/36
2	2	4	Ī		1		5 5790181 A 5 5627675 A	Optics assembly for observing a panoramic scene	359/366
	_		_	_	4		. 420E002 A	Lens system for panoramic imagery	359/725
3	_	4		-			4395093 A	OMNIDIRECTIONAL VIEWING ANGLE SENSOR	
1	_[4	_			11331654 A	PANORAMIC IMAGE DEVICE	<u> </u>
<u>5</u> 6	-		XI XI				2000206635 A 5 6304285 B	Omnidirectional stereo imaging apparatus e.g. three dimensional camera, has variable wavelength filter between reflective mirror and projector, to generate rainbow-like patterned wavelength spectrum of projected beam	
7		×				w	O 200041024 A	Panoramic imaging apparatus with super wide field of view for imaging a scene, uses primary and secondary reflectors configured to substantially correct field curvature of image projected on image sensor	
8	-		Ø			U:	5 6449103 B1	Solid catadioptric amnidirectional optical system having central coverage means which is associated with a camera, projector, medical instrument, or similar article	359/725
19		X				U:	5 6333826 B1	Omniramic optical system having central coverage means which is associated with a camera, projector, or similar article	359/725
20					×	U	S 6118474 A	Omnidirectional imaging apparatus	348/36
21	-	X			ļ	ļυ	5 6028719 A	360 degree/forward view integral imaging system	359/725
22			×	×		υ	15 6545702 B1	Method and apparatus for panoramic imaging	348/36
23					×	Į	IS 6064423 A	Method and apparatus for high resolution three dimensional display	348/36
24					Þ	10	JS 5920337 A	Omnidirectional visual image detector and processor	348/36
25		⊨	ļ	H		11	JS 5760826 A	Omnidirectional imaging apparatus	348/36
26		E	Ī	Ī	T		JS 5612533 A	Low-profile horizon-sampling light sensor	250/208.
27		F			D		JS 6160618 A	Hyperspectral slide reader	356/318
		4=	Ļ	+	1	 -	JS 6034779 A	Array element examination method and array element examination device	356/614

	_			.1 -		Title	Current Of
	\perp	1 2	2 2	3	Document ID		054 (00
9	Ŀ	1	t	k	US 5905568 A	Stereo imaging velocimetry	356/28
	-		1	TX	US 5625408 A	Three-dimensional image recording/reconstructing method and apparatus therefor	348/42
1	+	×	1	-	US 6556706 B1	Three-dimensional surface profile imaging method and apparatus using single spectral light condition	382/154
2	-[+			US 20030007793 /		396/20

09/884 255